

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2013 series**

|  |
|--|
| <p><b>0580 MATHEMATICS</b></p> <p><b>0580/42</b>      Paper 4 (Extended), maximum raw mark 130</p> |
|--|

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

|               |                                      |                 |              |
|---------------|--------------------------------------|-----------------|--------------|
| <b>Page 2</b> | <b>Mark Scheme</b>                   | <b>Syllabus</b> | <b>Paper</b> |
|               | <b>IGCSE – October/November 2013</b> | <b>0580</b>     | <b>42</b>    |

### Abbreviations

|     |                            |
|-----|----------------------------|
| cao | correct answer only        |
| cso | correct solution only      |
| dep | dependent                  |
| ft  | follow through after error |
| isw | ignore subsequent working  |
| oe  | or equivalent              |
| SC  | Special Case               |
| www | without wrong working      |
| art | anything rounding to       |
| soi | seen or implied            |

|          | <b>Correct answer</b>   | <b>Mark</b>   | <b>Part marks</b>   |
|----------|---|---|---|
| <b>1</b> | <p><b>(a) (i)</b> 3216 Final answer</p> <p><b>(ii)</b> 1307 Final answer</p> <p><b>(b)</b> 4.5[%] nfw</p> <p><b>(c)</b> A by 31.05...<br/>or 31.04 to 31.05<br/>or 31.[0]<br/>31.1[0]</p>   | <p><b>2</b></p> <p><b>2FT</b></p> <p><b>2</b></p> <p><b>5</b></p>                 | <p><b>M1</b> for <math>(18900 - 5500) \times 0.24</math> oe</p> <p><b>FT</b> <math>(18900 - \text{their (a)(i)}) \div 12</math> correctly evaluated</p> <p><b>M1</b> for <math>(18900 - \text{their (a)(i)}) \div 12</math></p> <p><b>M1</b> for <math>\frac{19750.50[-18900]}{18900} \times 100</math><br/>or <math>\frac{19750.50 - 18900}{18900}</math></p> <p><b>M1</b> for <math>1500 \times 4.1/100 \times 3</math> [+ 1500] oe<br/><b>M1</b> for <math>1500 \times 1.033^3</math> [- 1500] oe<br/><b>A1</b> for 1684.5 or 184.5 or 1653[.45..] or 153[.45..]</p> <p><b>and M1dep</b> for subtraction of <i>their</i> amounts or <i>their</i> interests</p> |
| <b>2</b> | <p><b>(a)</b> <math>36.9^\circ</math> or 36.86 to 36.87</p> <p><b>(b) (i)</b> <math>1.8^2 + 2.4^2</math> leading to <math>\sqrt{9}</math></p> <p><b>(ii)</b> <math>[\cos ABD] = \frac{6.46^2 + 3^2 - 8.6^2}{2 \times 6.46 \times 3}</math><br/>127 or 126.8...</p> <p><b>(c)</b> 39.6 or 39.7 or 39.59 to 39.68</p> | <p><b>2</b></p> <p><b>2</b></p> <p><b>M2</b></p> <p><b>A2</b></p> <p><b>3</b></p> | <p><b>M1</b> for <math>\tan[DBC] = 1.8/2.4</math> oe</p> <p><b>M1</b> for <math>1.8^2 + 2.4^2</math> or better</p> <p><b>M1</b> for correct cos rule but implicit version</p> <p><b>A1</b> for -0.599...</p> <p>After <b>0</b> scored, <b>SC2</b> nfw for answer 127 or 126.8 to 126.96 from other methods or no working shown</p> <p><b>M2</b> for <math>\frac{1}{2}(2.4 + 8.6) \times 1.8 \times 4</math> oe<br/><b>Or M1</b> for <math>\frac{1.8}{2}(2.4 + 8.6)</math> oe soi by 9.9 to 9.92</p>   |

| Page 3 | Mark Scheme                   | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
|        | IGCSE – October/November 2013 | 0580     | 42    |

|   |   |                              |   |
|---|---|------------------------------|---|
| 3 | <p>(a) <math>\frac{4x-7}{10}</math> final answer nfw</p> <p>(b) <math>x^2 + 9</math> final answer nfw</p> <p>(c) (i) <math>(2x-1)(x+3)</math> isw solving</p> <p>(ii) <math>\frac{2x-1}{2(x-3)}</math> or <math>\frac{2x-1}{2x-6}</math><br/>final answer nfw</p> | 3<br><br>4<br><br>2<br><br>3 | <p><b>M2</b> for <math>\frac{5(2x-1)-2(3x+1)}{2 \times 5}</math><br/>or <math>\frac{5(2x-1)}{5 \times 2} - \frac{2(3x+1)}{5 \times 2}</math><br/><b>or M1</b> for attempt to convert to common denominator of 10 or multiple of 10 with one error in numerator</p> <p><b>B3</b> for <math>4x^2 - 6x - 6x + 9 - 3x^2 + 12x</math> or correct answer given and then spoilt<br/><b>or B1</b> for <math>4x^2 - 6x - 6x + 9</math> seen <b>and B1</b> for <math>-3x^2 + 12x</math> or <math>-(3x^2 - 12x)</math> seen</p> <p><b>M1</b> for <math>(2x+a)(x+b)</math> where <math>ab = -3</math> or <math>2b + a = 5</math> with integers <math>a</math> and <math>b</math></p> <p><b>M2</b> for <math>2(x+3)(x-3)</math> or <math>(2x-6)(x+3)</math> or <math>(2x+6)(x-3)</math> seen<br/><b>or M1</b> for <math>2(x^2-9)</math> seen</p>           |
| 4 | <p>(a) (i) <math>90 \div (42/360 \times \pi \times 8^2)</math> o.e.<br/>3.836 to 3.837</p> <p>(ii) 131 or 130.75 to 130.9 nfw</p> <p>(b) 2.42 or 2.416 to 2.419</p>   | M3<br>A1<br>5<br><br>3       | <p><b>M2</b> for <math>42/360 \times \pi \times 8^2 \times h = 90</math><br/><b>or M1</b> for <math>42/360 \times \pi \times 8^2</math></p> <p><b>M2</b> for <math>42/360 \times \pi \times 2 \times 8 \times 3.84</math> oe [22.48 to 22.53]<br/><b>or M1</b> for <math>42/360 \times \pi \times 2 \times 8</math> oe soi [5.86 to 5.87]<br/><b>and M1</b> for <math>2 \times (8 \times 3.84)</math> [61.37 to 61.44]<br/><b>and M1</b> for <math>2 \times (42/360 \times \pi \times 8^2)</math> [46.88 to 47]</p> <p><b>M2</b> for <math>3.84 \times \sqrt[3]{\frac{22.5}{90}}</math> oe or <math>h = \sqrt[3]{\frac{3.84^3 \times 22.5}{90}}</math></p> <p><b>or M1</b> for <math>\sqrt[3]{\frac{22.5}{90}}</math> oe or <math>\sqrt[3]{\frac{90}{22.5}}</math> oe seen</p> <p>or <math>\frac{3.84^3}{h^3} = \frac{90}{22.5}</math> oe</p> |

| Page 4 | Mark Scheme                   | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
|        | IGCSE – October/November 2013 | 0580     | 42    |

|   |  |                              |   |
|---|--|------------------------------|---|
| 5 | (a) 7, 11.5, 4.5   | 1,1,1                        | <p><b>B3FT</b> for 10 correct plots, on correct vertical grid line and within correct 2 mm square vertically</p> <p><b>Or B2FT</b> for 8 or 9 correct plots</p> <p><b>Or B1FT</b> for 6 or 7 correct plots</p> <p><b>and B1 indep</b> for two separate branches on either side of <math>y</math>-axis</p> |
|   | (b) Correct curve cao  | 5                            |   |
|   | (c) (i) $0.69 < x < 0.81$  | 1                            | <p><b>B1</b> for each correct</p> <p>After 0 scored, allow <b>SC1</b> for drawing line <math>y = 7.5</math> long enough to cross curve at least once</p>  |
|   | (ii) $-2.3 < x < -2.2$<br>$-0.8 < x < -0.6$<br>$0.35 < x < 0.5$            | 3                            |   |
|   | (d) (i) $y = 10 - 3x$ ruled correctly                                      | <b>B2</b>                    | <p>long enough to cross curve twice.</p> <p><b>B1</b> for ruled line gradient <math>-3</math> or <math>y</math> intercept at 10 but not <math>y = 10</math></p> <p><b>Or B1</b> for 'correct' but freehand</p>  |
|   | $-0.55 < x < -0.45$<br>$0.35 < x < 0.45$                                   | <b>B1dep</b><br><b>B1dep</b> | <p>Dependent on at least <b>B1</b> scored for line</p> <p>After 0 scored, <b>SC2</b> for <math>-0.5</math> and <math>0.4</math> [from solving equation]</p>   |
|   | (ii) $\begin{matrix} 10 & 1 & -2 \\ \text{or} & -10 & -1 & 2 \end{matrix}$ | 3                            | <p><b>B2</b> for <math>2 - x - 10x^2 [= 0]</math> oe</p> <p><b>Or B1</b> for <math>\frac{2}{x^2} - \frac{1}{x} - 10 = 0</math> oe Correctly eliminating <math>-3x</math></p> <p><b>Or B1</b> for <math>2 - x - 3x^3 = 10x^2 - 3x^3</math> oe Correctly clearing fractions</p>                             |

| Page 5 | Mark Scheme                   | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
|        | IGCSE – October/November 2013 | 0580     | 42    |

|          |            |                                   |                                 |            |   |  |
|----------|------------|-----------------------------------|---------------------------------|------------|---|--|
| <b>6</b> | <b>(a)</b> | <b>(i)</b> $\frac{1}{110}$ oe     |                                 | <b>2</b>   | <b>M1</b> for $\frac{1}{11} \times \frac{1}{10}$  |  |
|          |            | <b>(ii)</b> $\frac{6}{110}$ oe    | $\left[ \frac{3}{55} \right]$   | <b>2</b>   | <b>M1</b> for $\frac{3}{11} \times \frac{2}{10}$  |  |
|          |            | <b>(iii)</b> $\frac{8}{110}$ oe   | $\left[ \frac{4}{55} \right]$   | <b>2FT</b> | <b>FT</b> <i>their (a)(ii)</i> + $\frac{2}{11} \times \frac{1}{10}$ correctly evaluated<br><b>or M1</b> <i>their (a)(ii)</i> + $\frac{2}{11} \times \frac{1}{10}$ |  |
|          | <b>(b)</b> | <b>(i)</b> $\frac{6}{990}$ oe     | $\left[ \frac{1}{165} \right]$  |            | <b>2</b>  | <b>M1</b> for $\frac{3}{11} \times \frac{2}{10} \times \frac{1}{9}$  |
|          |            | <b>(ii)</b> $\frac{336}{990}$ oe  | $\left[ \frac{56}{165} \right]$ |            | <b>2</b>  | <b>M1</b> for $\frac{8}{11} \times \frac{7}{10} \times \frac{6}{9}$  |
|          |            | <b>(iii)</b> $\frac{198}{990}$ oe | $\left[ \frac{1}{5} \right]$    |            | <b>5</b>  | <b>M4</b> for $3\left(\frac{3}{11} \times \frac{2}{10} \times \frac{8}{9}\right) + 3\left(\frac{2}{11} \times \frac{1}{10} \left[\times \frac{9}{9}\right]\right)$ oe<br><b>or M3</b> for $3\left(\frac{3}{11} \times \frac{2}{10} \times \frac{8}{9}\right)$ <i>or</i> $3\left(\frac{2}{11} \times \frac{1}{10} \left[\times \frac{9}{9}\right]\right)$<br>oe<br><b>Or</b><br><b>M1</b> for $\frac{3}{11} \times \frac{2}{10} \times \frac{8}{9}$ oe seen <b>and M1</b> for<br>$\frac{2}{11} \times \frac{1}{10} \left[\times \frac{9}{9}\right]$ oe seen |

| Page 6 | Mark Scheme                   | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
|        | IGCSE – October/November 2013 | 0580     | 42    |

|                              |  |  |   |
|------------------------------|--|--|---|
| 7                            | (a) 14 10 or 2 10 pm final answer  | 2  | <b>M1</b> for (0)8 10 oe or answer 14 hours and 10 minutes or answer 2 10 [am]  |
|                              | (b) 5 hours 45 minutes cao   | 2  | <b>M1</b> for 345 [mins] seen or for $805 / 7 \times 3$ oe or 5.75 seen   |
|                              | (c) (i) 798 or 798.2 to 798.4....  | 2  | <b>M1</b> for $10712 / 13 \frac{25}{60}$ or $10712 \div 13.4\dots$  |
|                              | (ii) $1.82 \times 10^5$<br>or $1.815 \times 10^5$ to $1.816 \times 10^5$ | 4  | <b>B3</b> for 182000 or 181500 to 181600 seen<br><b>or M2</b> for 10712000/59 oe<br><b>or M1</b> for figs 10712/figs 59 soi by figs 182 or figs 1815 to 1816<br><b>and B1 FT</b> for their number of litres correctly converted to standard form rounded to 3sf or better |
| (d) 8600                     | 3  | <b>M2</b> for $10148 \div 1.18$ oe<br><b>or M1</b> for 10148 associated with 118[%]    |   |
| 8                            | (a) (i) -6   | 1  |   |
|                              | (ii) 2.75 oe   | 2  | <b>M1</b> for $[g(x) =] 0.5$ or $7/14$<br>Or $\left(\frac{7}{x+1}\right)^2 + 5\left(\frac{7}{x+1}\right)$ oe  |
|                              | (b) $\frac{x-3}{4}$ or $\frac{x}{4} - \frac{3}{4}$ Final answer          | 2  | <b>M1</b> for $y - 3 = 4x$ or better or $x = 4y + 3$ or better<br>or $\frac{y}{4} = \frac{3}{4} + x$ or flowchart with - 3 then $\div 4$  |
|                              | (c) (i) 5  | 2  | <b>M1</b> for $4x = 23 - 3$ or $x + \frac{3}{4} = \frac{23}{4}$ or better   |
|                              | (ii) $x^2 + 5x - 7 = 0$  | <b>B1</b>  | May be implied by correct values in formula   |
|                              | $\frac{-5 \pm \sqrt{5^2 - 4(1)(-7)}}{2(1)}$ oe                           | <b>B1</b><br><b>B1</b>   | <b>B1</b> for $\sqrt{5^2 - 4(1)(-7)}$ or better [53]<br>If in form $\frac{p + \sqrt{q}}{r}$ or $\frac{p - \sqrt{q}}{r}$ , <b>B1</b> for -5 and 2(1) or better<br><b>No</b> recovery of full line unless <b>seen</b>   |
| 1.14 and -6.14 final answers | <b>B1</b><br><b>B1</b>   | <b>Or SC1</b> for 1.1 or 1.140.... and -6.1 or -6.140 ...<br>Or answers -1.14 and 6.14 |   |

| Page 7 | Mark Scheme                   | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
|        | IGCSE – October/November 2013 | 0580     | 42    |

|   |  |  |   |
|---|--|--|---|
| 9   | (a) (i) Reflection<br>$x = -2$ oe                              | 2  | B1 for either   |
|   | (ii) Translation<br>$\begin{pmatrix} -7 \\ 2 \end{pmatrix}$ oe | 2  | B1 for either   |
|   | (iii) Stretch<br>$x$ -axis oe invariant<br>[factor] 3          | 3  | B1 for each   |
|   | (b) (i) Triangle with coords at (8, 2)<br>(7, 3) and (7, 5)    | 2  | B1 for rotation about (6, 0) but $90^\circ$<br>anticlockwise<br>Or for rotation $90^\circ$ clockwise around any point |
|   | (ii) Triangle with coords at<br>(-2, -5) (-6, -5) and (-8, -7) | 2  | B1 for 2 correct points or for enlargement of<br>SF -2 any centre   |
|   | (iii) Triangle with coords at (1, -1)<br>(4, -6) and (3, -5)   | 2  | B1 for 2 correct points or coordinates of<br>2 points shown   |
| (c) $\begin{pmatrix} 1 & 0 \\ -2 & 1 \end{pmatrix}$ | 2  | B1 for one row or one column correct but not<br>identity matrix.<br>Or SC1 for $\begin{pmatrix} 1 & -2 \\ 0 & 1 \end{pmatrix}$ |   |
| 10  | (a) 48 and 57, $9n + 3$ oe                                     | 1 2  | B1 for $9n + k$ oe  |
|   | (b) 56 and 50, $86 - 6n$ oe                                    | 1 2  | B1 for $k - 6n$ oe  |
|   | (c) 125 and 216, $n^3$ oe                                      | 1 1  |   |
|   | (d) 130 and 222 $n^3 + n$ oe                                   | 1 1FT  | FT <i>their</i> (c) + $n$ dep on expression in $n$ in (c)   |